



like concrete, but classy...



Your outdoor space deserves to be different...

W.A. Made... coastal comfort



Ice



Sandstone



Greystone



Abrolhos



Charcoal



Metro


Available in



SQUARE PAVER
 SIZE 400 x 400mm
 THICKNESS
 30mm & 60mm



LUXE PAVER
 SIZE 600 x 400mm
 THICKNESS
 40mm
 (Abrolhos & Metro
 30mm & 60mm)




RECTANGLE PAVER
 SIZE 400 x 200mm
 THICKNESS
 60mm (Abrolhos &
 Metro only)


NEW



MULTI SPEC TACTILE PAVER
 SIZE 600 x 400mm
 THICKNESS
 30, 40, 50 & 60mm



HAZARD TACTILE PAVER
 SIZE 400 x 400mm
 THICKNESS
 30, 40, 50 & 60mm



DIRECTIONAL TACTILE PAVER
 SIZE 400 x 400mm
 THICKNESS
 30, 40, 50 & 60mm



Pave Set - Sweep in and "wet to set" joint powder.
 Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:

- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections



CIRCLE STEPPERS
 SIZE
 600, 400 & 250mm
 THICKNESS 40mm



Use also for




Internal Corner

270 SEAMLESS CAPPING

SIZE 400 x 270mm
THICKNESS 30mm




Use also for




External Corner

270 4 SIDED SEAMLESS CAPPING

SIZE 400 x 270mm
THICKNESS 30mm



2 Sided,
End Piece or
Stepping Stone




Use also for




Internal Corner

400 SEAMLESS CAPPING

SIZE 400 x 400mm
THICKNESS 30mm




Use also for




External Corner

400 4 SIDED SEAMLESS CAPPING

SIZE 400 x 400mm
THICKNESS 30mm



2 Sided,
End Piece or
Stepping Stone



RETRO BULLNOSE CAPPING

SIZE 400 x 270mm
THICKNESS 40mm



Freo Skimmer Lid Kits... a superior finish

- More attractive, central keyhole to avoid edge chipping.
- Marine grade stainless steel, to suit most Freo Stone Pavers.
- Compliant with Australian Pool Safety Standard 1926.3 2010.
- Order to be delivered with your Pool Capping Kits.



Travertine & Marble... a genuine slice of Europe



RECTANGLE PAVER
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm



FRENCH PATTERN PAVERS
SURFACE Honed then tumbled
SIZE Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm
THICKNESS 30mm
 (not available in Arctic)



CAPPING
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm



ROMA OVERHANGING LIP CAPPING
SURFACE Honed then tumbled (Tumbled natural cored edges.)
SIZE 610 x 305 x 80mm
THICKNESS 30mm



Roma



Quality stone cut from Europe's best quarries.



Can be easily installed onto a sand base.



Lightly textured surfaces providing grip and comfort.



Stunning variations of colour throughout each project.



ROMA




PRIMO




ARCTIC MARBLE



ATLANTIS



Your outdoor space deserves to be different...



Primo



Arctic Marble



Atlantis

DesignoPave... non-slip porcelain pavers



Non-slip surface and no sealing required.

Lay straight onto sand, cracker dust, concrete or plastic pedestals.

Strength far superior to stone of even greater thickness.

Realistic durable alternatives to natural timber and granite.

CAPPING
SIZE 600 x 300mm
THICKNESS 20mm



JARRAHWASH

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BEACHWOOD

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



DRIFTWOOD

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BORDEAUX

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



MONACO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




SANTORINI

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




WHITE GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



GREY GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



BLACK GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

Ocean Bluestone... a grey with attitude

PAVER

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm

CAPPING

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm



- ✓ Non-slip yet gentle to touch.
- ✓ Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

Stone cladding... bringing walls to life



EVEREST
SIZE 600 x 150mm



COPPER
SIZE 600 x 150mm



KNAPPED ICE
SIZE 495 x 160mm



HAWAIIAN SWIRL
SIZE 600 x 150mm



DESERT
SIZE 600 x 150mm



WHITE QUARTZ
SIZE 600 x 150mm




Pre-cut corners are available for all colours

The beauty of natural stone is its variation in colour. Visit our sites to see current tones.


Photos above indicate approx 600mm x 600mm section.



Bluestone... natural steppers




Honed surface
SIZE Various approx. 500 - 700mm
THICKNESS 30mm




Commercial... high-end spec solutions

10 other colours available for commercial quantity projects.



NEW



**MULTI SPEC
TACTILE PAVER**
SIZE 600 x 400mm
THICKNESS
30, 40, 50 or 60mm

Suitable for a range of applications.

Freo Stone Paving Perth

North

South



GREENWOOD

Display and Stock Centre
29 Canham Way
Greenwood W.A.

BIBRA LAKE

Manufacturing Facility, Full Scale
Display and Stock Centre
139 Barrington Street
Bibra Lake W.A.



high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

CUSTOMER SERVICE

08 9418 8404

info@freostone.com.au



**Free mobile design and sample units
to your Perth metro site or office**

**for more ideas visit
freostone.com.au**



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. April 2024 Freo Stone ABN 30 143 880 422.