

W.A. CORAL RANGE
PEDESTRIAN PAVERS

Patio Pave 30 400x400x30mm	31.50	m2
Square Paver 400x400x40mm	35.50	m2
Luxe Paver 600x400x40mm	47	m2

POOL, WALL & STEP CAPPING

270 Seamless Capping 270x400x30mm	26	Lm
270 4 Sided Seamless Capping 270x400x30mm	26	each
Use as External Corner, Double Sided, Stepping Stone or End Piece		
270 Bullnose 270x400x40mm	28	Lm
Corners to suit 270 Bullnose 270x400x40mm	28	each
400 Seamless Capping 400x400x40mm	31	Lm
400 4 Sided Seamless Capping 400x400x40mm	31	each
Use as External Corner, Double Sided, Stepping Stone or End Piece		

VEHICULAR TRAFFIC PAVERS

Square Paver 400x400x60mm	41	m2
---------------------------	----	----

ICE & GREYSTONE QUARTZ
PEDESTRIAN PAVERS

Square 400x400x30mm	52	m2
Luxe 600x400x30mm	62	m2
Circle Steppers 600, 400 or 250 x40mm	51	each

POOL, WALL & STEP CAPPING

270 Seamless Capping 270x400x30mm	45	Lm
270 4 Sided Seamless Capping 270x400x30mm	34	each
Use as External Corner, Double Sided, Stepping Stone or End Piece		
400 Seamless Capping 400x400x40mm	50	Lm
400 4 Sided Seamless Capping 400x400x40mm	38	each
Use as External Corner, Double Sided, Stepping Stone or End Piece		

VEHICULAR TRAFFIC PAVERS

Square 400x400x60mm	64	m2
Luxe 600x400x60mm (sold per pallet of 9.12m2 only)	77	m2
Rectangle 200x400x60mm	72	m2
Tactiles 400x400x60mm Off-form 2023 compliant design (Custom thickness possible)	72	m2
Multi Spec Tactiles 600x400x60mm Off-form 2023 compliant design (Custom thickness possible)	77	m2

OCEAN BLUESTONE

Paver 600x300x25mm	76	m2
Capping 600x300x25mm	41	Lm

BLUESTONE STEPPER RANGE

Honed Irregular Shape Stepping Stone Approx. 500 - 700x30mm	75	each
---	----	------

TRAVERTINE & MARBLE RANGE
ROMA

French Pattern Paver Sets x 30mm	87	m2
Capping 610x305x30mm	45	Lm
Lip Capping 610x305x30mm	105	Lm

PRIMO

French Pattern Paver Sets x 30mm	94	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

ARCTIC MARBLE

Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

IBIZA

French Pattern Paver Sets x 30mm	99	m2
Rectangle Paver 610x305x30mm	104	m2
Capping 610x305x30mm	48	Lm

ATLANTIS

French Pattern Paver Sets x 30mm	100	m2
Rectangle Paver 610x305x30mm	111	m2
Capping 610x305x30mm	53	Lm

DESIGNOPAVE RANGE

Paver 600x300x20mm	Monaco Bordeaux Santorini White Granito Grey Granito Black Granito	65	m2
Capping 600x300x20mm	Monaco Bordeaux Santorini White Granito Grey Granito Black Granito	48	Lm
StoneDek Planks 1200x200x20mm	Jarrahwash Driftwood Beachwood	71	m2
StoneDek Capping 1200x200x20mm	Jarrahwash Driftwood Beachwood	53	Lm

WALL CLADDING RANGE

Face Panels	97	m2
Corner Pieces	16	each

OTHER ITEMS AND SERVICES

Paving Join Grout Powder 20kg bag sweep in and wet to set anti weed / ant deter gel	20	each
Pool Skimmer Lid Kit 305x305mm stainless base, lid, key and stone insert. Coral/Quartz	385	each
Pool Skimmer Lid Kit 305x305mm stainless base, lid, key and stone insert. All Others	399	each
Stone Adhesive Tube 660ml stone to fibre glass, hardboard or stone surfaces	15	each
Adhesive Tube Gun canister style to dispense adhesive	15	each
Part Pallet Build for under half pallet orders strap, labour & bag cost	15	each
Metro/Outer Delivery to verge. Min Cost \$125/\$145. 3 Pallets \$150/\$180. 4 or more pallet loads.	40/50	each
Pallet Bond refund processed on return by client to Freo Stone with invoice #	40	each

All deliveries are to verge only and not beyond, to avoid property damage regardless of owners permission

Sizes are approximate and no works should be started without your specific stone purchase in hand
Freo Stone products are sold to order with notice by full piece, set, carton, bag or box nearest to units required
SEALING Stones can be damaged by some sealers and the bulk of our range we do not recommend sealing at all

Please seek advice from our team or website to avoid damaging your stone by trusting generic labelling

Prices are ex Bibra Lake factory and outside Perth Metro Delivery may require extra packaging at extra cost

Prices are inc G.S.T. subject to change at any time and seeking a recent valid quotation is advisea **DEC23RP**



like concrete, but classy...



Your outdoor space deserves to be different...

W.A. Coral Range... coastal comfort




Ice Coral



Sandstone Coral



Greystone Coral



Charcoal Coral

W.A. Quartz Range... exposing the beauty



Ice Quartz



Sandstone Quartz



Greystone Quartz



Charcoal Quartz



SQUARE PAVER
SIZE 400 x 400mm
THICKNESS
30mm, 40mm, 60mm



LUXE PAVER
SIZE 600 x 400mm
THICKNESS
30mm (Quartz)
40mm, 60mm




RECTANGLE PAVER
SIZE 400 x 200mm
THICKNESS
60mm (Quartz)


NEW



MULTI SPEC TACTILE PAVER
SIZE 600 x 400mm
THICKNESS
30, 40, 50 or 60mm



HAZARD TACTILE PAVER
SIZE 400 x 400mm
THICKNESS
30, 40, 50 or 60mm



DIRECTIONAL TACTILE PAVER
SIZE 400 x 400mm
THICKNESS
30, 40, 50 or 60mm

Pave Set - Sweep in and "wet to set" join powder.
Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:

- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections




CIRCLE STEPPERS
SIZE
600, 400, 250mm
THICKNESS 40mm



270
SEAMLESS CAPPING
SIZE 400 x 270mm
THICKNESS 30 or 40mm


Use also for




Internal Corner

270 4 SIDED
SEAMLESS CAPPING
SIZE 400 x 270mm
THICKNESS 30 or 40mm

Use also for




External Corner



2 Sided,
End Piece or
Stepping Stone

400
SEAMLESS CAPPING
SIZE 400 x 400mm
THICKNESS 30 or 40mm


Use also for




Internal Corner

400 4 SIDED
SEAMLESS CAPPING
SIZE 400 x 400mm
THICKNESS 30 or 40mm


Use also for




External Corner




2 Sided,
End Piece or
Stepping Stone



270
BULLNOSE
CAPPING
SIZE 400 x 270mm
THICKNESS 40mm



270
INTERNAL
CORNER BULLNOSE
SIZE Suits 270 Bullnose
THICKNESS 40mm




270
EXTERNAL
CORNER BULLNOSE
SIZE Suits 270 Bullnose
THICKNESS 40mm



Freo Skimmer Lid Kits... a superior finish

- ✓ More attractive, central keyhole to avoid edge chipping.
- ✓ Marine grade stainless steel, to suit most Freo Stone Pavers.
- ✓ Compliant with Australian Pool Safety Standard 1926.3 2010.
- ✓ Order to be delivered with your Pool Capping Kits.



Travertine & Marble... a genuine slice of Europe



RECTANGLE PAVER

SURFACE Honed then tumbled

SIZE 610 x 305mm

THICKNESS 30mm



FRENCH PATTERN PAVERS

SURFACE Honed then tumbled

SIZE Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm

THICKNESS 30mm



CAPPING

SURFACE Honed then tumbled

SIZE 610 x 305mm

THICKNESS 30mm



OVERHANGING LIP CAPPING

SURFACE Honed then tumbled (Tumbled natural cored edges.)

SIZE 610 x 305 x 80mm

THICKNESS 30mm (Roma Only)



Roma



Quality stone cut from Europe's best quarries.



Lightly textured surfaces providing grip and comfort.



Can be easily installed onto a sand base.



Stunning variations of colour throughout each project.



ROMA



PRIMO




COASTAL






ARCTIC MARBLE



IBIZA



ATLANTIS





Arctic Marble



Primo



Atlantis



Ibiza



Coastal



Primo



Roma

DesignoPave... engineered porcelain pavers



Non-slip surface and no sealing required.

Lay straight onto sand, cracker dust, concrete or plastic pedestals.

Strength far superior to stone of even greater thickness.

Realistic durable alternatives to natural timber and granite.

CAPPING

SIZE 600 x 300mm
THICKNESS 20mm



JARRAHWASH

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BEACHWOOD

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



DRIFTWOOD

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BORDEAUX

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



MONACO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




SANTORINI

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




WHITE GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



GREY GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



BLACK GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

Ocean Bluestone... a grey with attitude

PAVER

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm

CAPPING

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm




Non-slip yet gentle to touch.

Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

Stone cladding... bringing walls to life



EVEREST

SIZE 600 x 150mm



COPPER

SIZE 600 x 150mm




KNAPPED ICE

SIZE 495 x 160mm




HAWAIIAN SWIRL

SIZE 600 x 150mm



DESERT

SIZE 600 x 150mm



WHITE QUARTZ

SIZE 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is it's variation in colour.
Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.




Bluestone... natural steppers




Honed surface

SIZE Various approx. 500 - 700mm
THICKNESS 30mm



Commercial... high-end spec solutions




Custom sizes, colours and shapes available for discussion


NEW




**MULTI SPEC
TACTILE PAVER**
SIZE 600 x 400mm
THICKNESS
30, 40, 50 or 60mm



800mm



600mm



400mm

Suitable for a range of applications.

Freo Stone Paving Perth

North

South



GREENWOOD

Display and Stock Centre
29 Canham Way
Greenwood W.A.



BIBRA LAKE

Manufacturing Facility, Full Scale
Display and Stock Centre
139 Barrington Street
Bibra Lake W.A.



high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

CUSTOMER SERVICE

08 9418 8404

info@freostone.com.au



Free mobile design and sample units
to your Perth metro site or office

for more ideas visit
freostone.com.au



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. August 2023 Freo Stone ABN 30 143 880 422.