



# like concrete, but classy...



**Your outdoor space deserves to be different...**


# W.A. Made... coastal comfort



**Ice**



**Sandstone**



**Greystone**



**Abrolhos**



**Charcoal**



**Metro**

## Available in



**SQUARE PAVER**  
SIZE 400 x 400mm  
THICKNESS  
30mm & 60mm




**LUXE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
40mm  
(Abrolhos & Metro  
30mm & 60mm)




**RECTANGLE PAVER**  
SIZE 400 x 200mm  
THICKNESS  
60mm (Abrolhos &  
Metro only)


**NEW**



**MULTI SPEC  
TACTILE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
30, 40, 50 & 60mm



**HAZARD  
TACTILE PAVER**  
SIZE 400 x 400mm  
THICKNESS  
30, 40, 50 & 60mm



**DIRECTIONAL  
TACTILE PAVER**  
SIZE 400 x 400mm  
THICKNESS  
30, 40, 50 & 60mm



**Pave Set - Sweep in and “wet to set” join powder.**  
Ensuring low maintenance whilst maintaining a classy finish with  
genuine pavers, not site poured imitations.

Allowing easy paver removal for:

- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections



**CIRCLE  
STEPPERS**  
SIZE  
600, 400 & 250mm  
THICKNESS 40mm



**270  
SEAMLESS CAPPING**  
SIZE 400 x 270mm  
THICKNESS 30mm

**Use also for**




Internal Corner




**270 4 SIDED  
SEAMLESS CAPPING**  
SIZE 400 x 270mm  
THICKNESS 30mm

**Use also for**



External Corner



2 Sided,  
End Piece or  
Stepping Stone




**400  
SEAMLESS CAPPING**  
SIZE 400 x 400mm  
THICKNESS 30mm

**Use also for**



Internal Corner




**400 4 SIDED  
SEAMLESS CAPPING**  
SIZE 400 x 400mm  
THICKNESS 30mm

**Use also for**



External Corner



2 Sided,  
End Piece or  
Stepping Stone



**RETRO  
BULLNOSE  
CAPPING**  
SIZE 400 x 270mm  
THICKNESS 40mm



## Freo Skimmer Lid Kits... a superior finish

- More attractive, central keyhole to avoid edge chipping.
- Marine grade stainless steel, to suit most Freo Stone Pavers.
- Compliant with Australian Pool Safety Standard 1926.3 2010.
- Order to be delivered with your Pool Capping Kits.



# Travertine & Marble... a genuine slice of Europe



**RECTANGLE PAVER**  
**SURFACE** Honed then tumbled  
**SIZE** 610 x 305mm  
**THICKNESS** 30mm



**FRENCH PATTERN PAVERS**  
**SURFACE** Honed then tumbled  
**SIZE** Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm  
**THICKNESS** 30mm  
(not available in Arctic)



**CAPPING**  
**SURFACE** Honed then tumbled  
**SIZE** 610 x 305mm  
**THICKNESS** 30mm



**ROMA OVERHANGING LIP CAPPING**  
**SURFACE** Honed then tumbled  
(Tumbled natural cored edges)  
**SIZE** 610 x 305 x 80mm  
**THICKNESS** 30mm



**Roma**

- Quality stone cut from Europe's best quarries.
- Lightly textured surfaces providing grip and comfort.

- Can be easily installed onto a sand base.
- Stunning variations of colour throughout each project.



**ROMA**



**PRIMO**



**ARCTIC MARBLE**



**ATLANTIS**





**Primo**



**Arctic Marble**



**Atlantis**

more ideas and pricing @ [freostone.com.au](http://freostone.com.au)

# DesignoPave... non-slip porcelain pavers



- Non-slip surface and no sealing required.
- Lay straight onto sand, cracker dust, concrete or plastic pedestals.
- Strength far superior to stone of even greater thickness.
- Realistic durable alternatives to natural timber and granite.



## JARRAHWASH

Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



## SILVERTINO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm

**NEW**



## CAPPING

SIZE 600 x 300mm  
THICKNESS 20mm



## DRIFTWOOD

Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



## BORDEAUX

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm




## SANTORINI

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm




## MONACO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



## WHITE GRANITO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



## BLACK GRANITO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm


# Ocean Bluestone... a grey with attitude

## PAVER

**SURFACE** Non-slip  
**SIZE** 600 x 300mm  
**THICKNESS** 25mm

## CAPPING

**SURFACE** Non-slip  
**SIZE** 600 x 300mm  
**THICKNESS** 25mm



Non-slip yet gentle to touch.



Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

## Stone cladding... bringing walls to life



### EVEREST

**SIZE** 600 x 150mm



### COPPER

**SIZE** 600 x 150mm



### HAWAIIAN SWIRL

**SIZE** 600 x 150mm



### DESERT

**SIZE** 600 x 150mm



### WHITE QUARTZ

**SIZE** 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is it's variation in colour.

Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.




## Bluestone... natural steppers



### Honed surface

**SIZE** Various approx. 500 - 700mm  
**THICKNESS** 30mm




# Commercial... high-end spec solutions

10 other colours available for commercial quantity projects.



**NEW**



**MULTI SPEC  
TACTILE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
30, 40, 50 or 60mm

**Suitable for a range of applications.**

## Freo Stone Paving Perth

North



South



## GREENWOOD

Display and Stock Centre  
29 Canham Way  
Greenwood W.A.



## high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

## CUSTOMER SERVICE

08 9418 8404

[info@freostone.com.au](mailto:info@freostone.com.au)

## BIBRA LAKE

Manufacturing Facility, Full Scale  
Display and Stock Centre  
139 Barrington Street  
Bibra Lake W.A.



**Free mobile design and sample units  
to your Perth metro site or office**

for more ideas visit  
[freostone.com.au](http://freostone.com.au)



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only.

Products shown are correct at the time of printing. FEB 2026 Freo Stone ABN 30 143 880 422.