

ICE | SANDSTONE | GREYSTONE | CHARCOAL

	ICE	SANDSTONE	GREYSTONE	CHARCOAL
PEDESTRIAN PAVERS				
Square Paver 400x400x30mm	36	42	--	m2
Square Paver 400x400x40mm	39	--	--	m2
Luxe Paver 600x400x40mm	51	--	--	m2
POOL, WALL & STEP CAPPING				
270 Seamless Capping 270x400x30mm	28	34	--	Lm
270 4 Sided Seamless Capping 270x400x30mm	28	34	--	each
Use as External Corner, Double Sided, Stepping Stone or End Piece				
400 Seamless Capping 400x400x40mm	32	39	--	Lm
400 4 Sided Seamless Capping 400x400x40mm	32	39	--	each
Use as External Corner, Double Sided, Stepping Stone or End Piece				
270 Retro Bullnose 270x400x40mm	35	--	--	Lm
Corners to suit 270 Retro Bullnose 270x400x40mm	35	--	--	each
VEHICULAR TRAFFIC PAVERS				
Square Paver 400x400x60mm (sold per pallet of 11.65m ² only)	47	53	--	m2

ABROLHOS | METRO

PEDESTRIAN PAVERS				
Square 400x400x30mm	58	62	--	m2
Luxe 600x400x30mm	68	72	--	m2
Circle Steppers 600 x40mm	60	64	--	each
Circle Steppers 400 x40mm	50	54	--	each
Circle Steppers 250 x40mm	40	44	--	each
POOL, WALL & STEP CAPPING				
270 Seamless Capping 270x400x30mm	48	52	--	Lm
270 4 Sided Seamless Capping 270x400x30mm	37	41	--	each
Use as External Corner, Double Sided, Stepping Stone or End Piece				
400 Seamless Capping 400x400x40mm	53	57	--	Lm
400 4 Sided Seamless Capping 400x400x40mm	41	45	--	each
Use as External Corner, Double Sided, Stepping Stone or End Piece				
VEHICULAR TRAFFIC PAVERS				
Square 400x400x60mm (sold per pallet of 11.65m ² only)	71	75	--	m2
Luxe 600x400x60mm (sold per pallet of 9.12m ² only)	84	88	--	m2
Rectangle 200x400x60mm	79	83	--	m2
Tactiles 400x400x60mm Off-form 2026 compliant design (Custom thickness possible)	79	83	--	m2
Multi Spec Tactiles 600x400x60mm Off-form 2026 compliant design (Custom thickness possible)	79	83	--	m2

OCEAN BLUESTONE

Paver 600x300x25mm	78	82	m2
Capping 600x300x25mm	41	45	Lm

DESIGNOPAVE - MONACO | SILVERTINO | BORDEAUX | SANTORINI | WHITE GRANITO | GREY GRANITO | BLACK GRANITO

Paver 600x300x20mm	65	69	m2
Capping 600x300x20mm	48	52	Lm

DESIGNOPAVE - JARRAHWASH | DRIFTWOOD

Planks 1200x200x20mm	73	77	m2
Capping 1200x200x20mm	53	57	Lm

MALTESE TRAVERTINE

French Pattern Paver Sets x 30mm	79	m2
Capping 610x305x30mm	45	Lm

ROMA TRAVERTINE

French Pattern Paver Sets x 30mm	96	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm
Lip Capping 610x305x30mm	105	Lm

PRIMO TRAVERTINE

French Pattern Paver Sets x 30mm	96	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

ATLANTIS TRAVERTINE

French Pattern Paver Sets x 30mm	109	m2
Rectangle Paver 610x305x30mm	116	m2
Capping 610x305x30mm	58	Lm

ARCTIC MARBLE

Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

BLUESTONE STEPPER

Honed Irregular Shape Stepping Stone Approx. 500 - 700x30mm	69	each
---	----	------

HAWAIIAN SWIRL | EVEREST | WHITE QUARTZ | COPPER | DESERT

Face Panels	97	m2
Corner Pieces	16	each

OTHER ITEMS AND SERVICES

Paving Join Grout Powder 20kg bag sweep in and wet to set anti weed / ant deter gel	22	each
Pool Skimmer Lid Kit 306x306x30mm polymer base & lid with key	340	each
Stone Adhesive Tube 600ml stone to fibre glass, hardboard or stone surfaces	18	each
Adhesive Tube Gun canister style to dispense adhesive	18	each
Part Pallet Build for under half pallet orders strap, labour & bag cost	20	each
Metro/Outer Delivery to verge. Min Cost \$150/\$180. 3 Pallets \$180/\$225. 4 or more pallet loads.	45/60	each
Pallet Bond refund processed on return by client to Freo Stone with invoice #	50	each

All deliveries are to verge only and not beyond, to avoid property damage regardless of owners permission

Sizes are approximate and no works should be started without your specific stone purchase in hand

Freo Stone products are sold to order with notice by full piece, set, carton, bag or box nearest to units required

SEALING Stones can be damaged by some sealers and the bulk of our range we do not recommend sealing at all

Please seek advice from our team or website to avoid damaging your stone by trusting generic labelling

Prices are ex Bibra Lake factory and outside Perth Metro Delivery may require extra packaging at extra cost

Prices are inc G.S.T. subject to change at any time and seeking a recent valid quotation is advised

FEB26RP



like concrete, but classy...



Your outdoor space deserves to be different...

W.A. Made... coastal comfort



Ice



Sandstone



Greystone



Abrolhos



Charcoal



Metro


Available in



SQUARE PAVER
SIZE 400 x 400mm
THICKNESS
30mm & 60mm



LUXE PAVER
SIZE 600 x 400mm
THICKNESS
40mm
(Abrolhos & Metro
30mm & 60mm)




RECTANGLE PAVER
SIZE 400 x 200mm
THICKNESS
60mm (Abrolhos &
Metro only)


NEW



**MULTI SPEC
TACTILE PAVER**
SIZE 600 x 400mm
THICKNESS
30, 40, 50 & 60mm



**HAZARD
TACTILE PAVER**
SIZE 400 x 400mm
THICKNESS
30, 40, 50 & 60mm



**DIRECTIONAL
TACTILE PAVER**
SIZE 400 x 400mm
THICKNESS
30, 40, 50 & 60mm



Pave Set - Sweep in and "wet to set" join powder.
Ensuring low maintenance whilst maintaining a classy finish with
genuine pavers, not site poured imitations.

Allowing easy paver removal for:

- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections



**CIRCLE
STEPPERS**
SIZE
600, 400 & 250mm
THICKNESS 40mm



**270
SEAMLESS CAPPING**
SIZE 400 x 270mm
THICKNESS 30mm

Use also for




Internal Corner




**270 4 SIDED
SEAMLESS CAPPING**
SIZE 400 x 270mm
THICKNESS 30mm


Use also for



External Corner



2 Sided,
End Piece or
Stepping Stone




**400
SEAMLESS CAPPING**
SIZE 400 x 400mm
THICKNESS 30mm

Use also for



Internal Corner




**400 4 SIDED
SEAMLESS CAPPING**
SIZE 400 x 400mm
THICKNESS 30mm

Use also for



External Corner



2 Sided,
End Piece or
Stepping Stone



**RETRO
BULLNOSE
CAPPING**
SIZE 400 x 270mm
THICKNESS 40mm



Freo Skimmer Lid Kits... a superior finish

- More attractive, central keyhole to avoid edge chipping.
- Marine grade stainless steel, to suit most Freo Stone Pavers.
- Compliant with Australian Pool Safety Standard 1926.3 2010.
- Order to be delivered with your Pool Capping Kits.



Travertine & Marble... a genuine slice of Europe



RECTANGLE PAVER
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm



FRENCH PATTERN PAVERS
SURFACE Honed then tumbled
SIZE Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm
THICKNESS 30mm
(not available in Arctic)



CAPPING
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm



ROMA OVERHANGING LIP CAPPING
SURFACE Honed then tumbled (Tumbled natural cored edges)
SIZE 610 x 305 x 80mm
THICKNESS 30mm



Roma

- Quality stone cut from Europe's best quarries.
- Lightly textured surfaces providing grip and comfort.


- Can be easily installed onto a sand base.
- Stunning variations of colour throughout each project.



ROMA



PRIMO



ARCTIC MARBLE



ATLANTIS





Primo



Arctic Marble



Atlantis

DesignoPave... non-slip porcelain pavers



- Non-slip surface and no sealing required.
- Lay straight onto sand, cracker dust, concrete or plastic pedestals.
- Strength far superior to stone of even greater thickness.
- Realistic durable alternatives to natural timber and granite.



JARRAHWASH

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



SILVERTINO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

NEW



CAPPING

SIZE 600 x 300mm
THICKNESS 20mm



DRIFTWOOD

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BORDEAUX

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




SANTORINI

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




MONACO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



WHITE GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



BLACK GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm


Ocean Bluestone... a grey with attitude

PAVER

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm

CAPPING

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm



Non-slip yet gentle to touch.



Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

Stone cladding... bringing walls to life



EVEREST

SIZE 600 x 150mm



COPPER

SIZE 600 x 150mm



HAWAIIAN SWIRL

SIZE 600 x 150mm



DESERT

SIZE 600 x 150mm



WHITE QUARTZ

SIZE 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is it's variation in colour.

Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.




Bluestone... natural steppers



Honed surface

SIZE Various approx. 500 - 700mm
THICKNESS 30mm



Commercial... high-end spec solutions


10 other colours available for commercial quantity projects.




NEW



**MULTI SPEC
TACTILE PAVER**
SIZE 600 x 400mm
THICKNESS
30, 40, 50 or 60mm



Suitable for a range of applications.



Freo Stone Paving Perth

North



South



high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

CUSTOMER SERVICE

08 9418 8404

info@freostone.com.au

GREENWOOD

Display and Stock Centre
29 Canham Way
Greenwood W.A.

BIBRA LAKE

Manufacturing Facility, Full Scale
Display and Stock Centre
139 Barrington Street
Bibra Lake W.A.



**Free mobile design and sample units
to your Perth metro site or office**

for more ideas visit
freostone.com.au



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only.

Products shown are correct at the time of printing. FEB 2026 Freo Stone ABN 30 143 880 422.