

In Red On Sale Now - Limited Time Only

ICE | SANDSTONE | GREYSTONE | CHARCOAL

	ICE SANDSTONE GREYSTONE	CHARCOAL	
PEDESTRIAN PAVERS			
Square Paver 400x400x30mm	ON SALE 34	43	m2
Square Paver 400x400x40mm (Ice & Sandstone only)	40	--	m2
Luxe Paver 600x400x40mm	ON SALE 47	--	m2
POOL, WALL & STEP CAPPING			
270 Seamless Capping 270x400x30mm	28	34	Lm
270 4 Sided Seamless Capping 270x400x30mm	28	34	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
400 Seamless Capping 400x400x40mm	32	39	Lm
400 4 Sided Seamless Capping 400x400x40mm	32	39	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
270 Retro Bullnose 270x400x30mm	31	--	Lm
Corners to suit 270 Retro Bullnose 270x400x30mm	31	--	each
VEHICULAR TRAFFIC PAVERS			
Square Paver 400x400x60mm (sold per pallet of 11.65m2 only)	48	54	m2

ABROLHOS | METRO

PEDESTRIAN PAVERS		
Square 400x400x30mm		61.50 m2
Luxe 600x400x30mm		71.50 m2
Circle Steppers 600 x40mm		60 each
Circle Steppers 400 x40mm		50 each
Circle Steppers 250 x40mm		40 each
POOL, WALL & STEP CAPPING		
270 Seamless Capping 270x400x30mm		48.50 Lm
270 4 Sided Seamless Capping 270x400x30mm		37 each
Use as External Corner, Double Sided, Stepping Stone or End Piece		
400 Seamless Capping 400x400x40mm		53.50 Lm
400 4 Sided Seamless Capping 400x400x40mm		41 each
Use as External Corner, Double Sided, Stepping Stone or End Piece		
VEHICULAR TRAFFIC PAVERS		
Square 400x400x60mm (sold per pallet of 11.65m2 only)		76.50 m2
Luxe 600x400x60mm (sold per pallet of 9.12m2 only)		89.50 m2
Rectangle 200x400x60mm		84.50 m2
Tactiles 400x400x60mm Off-form 2026 compliant design (Custom thickness possible)		84.50 m2
Multi Spec Tactiles 600x400x60mm Off-form 2026 compliant design (Custom thickness possible)		84.50 m2

DESIGNOPAVE - MONACO | SILVERTINO | BORDEAUX | SANTORINI | WHITE GRANITO | GREY GRANITO | BLACK GRANITO

Paver 600x300x20mm	ON SALE	62	m2
Capping 600x300x20mm	ON SALE	45	Lm

DESIGNOPAVE - JARRAHWASH | DRIFTWOOD

Planks 1200x200x20mm	ON SALE	70	m2
Capping 1200x200x20mm	ON SALE	50	Lm

OCEAN BLUESTONE

Paver 600x300x25mm	ON SALE	70	m2
Capping 600x300x25mm	ON SALE	38	Lm

MALTESE TRAVERTINE

French Pattern Paver Sets x 30mm	85	m2
Rectangle Paver 610x305x30mm	85	m2
Capping 610x305x30mm	48	Lm

BELLA TRAVERTINE - Special Release - While Stocks Last

French Pattern Paver Sets x 30mm	89	m2
Capping 610x305x30mm	48	Lm

ROMA TRAVERTINE

French Pattern Paver Sets x 30mm	ON SALE	93	m2
Rectangle Paver 610x305x30mm	ON SALE	96	m2
Capping 610x305x30mm	ON SALE	45	Lm
Lip Capping 610x305x30mm	ON SALE	102	Lm

PRIMO TRAVERTINE

French Pattern Paver Sets x 30mm	96	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

ATLANTIS TRAVERTINE

French Pattern Paver Sets x 30mm	ON SALE	106	m2
Rectangle Paver 610x305x30mm	ON SALE	113	m2
Capping 610x305x30mm	ON SALE	55	Lm

ARCTIC MARBLE

Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

BLUESTONE STEPPER

Honed Irregular Shape Stepping Stone Approx. 500 - 700x30mm	ON SALE	59	each
---	---------	-----------	------

HAWAIIAN SWIRL | EVEREST | WHITE QUARTZ | COPPER | DESERT

Face Panels	97	m2
Corner Pieces	16	each

OTHER ITEMS AND SERVICES

Paving Join Grout Powder 20kg bag sweep in and wet to set anti weed / ant deter gel	22	each
Pool Skimmer Lid Kit 30mm polymer base & lid with key. Stone not included, simply cut key slot into existing stone.	340	each
Stone Adhesive Tube 600ml stone to fibre glass, hardboard or stone surfaces	18	each
Adhesive Tube Gun canister style to dispense adhesive	18	each
Part Pallet Build for under half pallet orders strap, labour & bag cost	20	each
Metro/ Outer Delivery to verge. Min Cost \$160/ \$185 . 3 Pallets \$190/ \$215 . 4 or more pallet loads.	55/ 60	each
Pallet Bond refund processed on return by client to Freo Stone with invoice #	50	each


All deliveries are to verge only and not beyond, to avoid property damage regardless of owners permission

*Sizes are approximate and no works should be started without your specific stone purchase in hand
 Freo Stone products are sold to order with notice by full piece, set, carton, bag or box nearest to units required
SEALING Stones can be damaged by some sealers and the bulk of our range we do not recommend sealing at all
 Please seek advice from our team or website to avoid damaging your stone by trusting generic labelling
Prices are ex Bibra Lake factory and outside Perth Metro Delivery may require extra packaging at extra cost
 Prices are inc G.S.T. subject to change at any time and seeking a recent valid quotation is advised*

JUL26RP



like concrete, but classy...



Your outdoor space deserves to be different...

W.A. Made... coastal comfort



Ice



Sandstone



Greystone



Abrolhos




Charcoal



Metro


Available in



SQUARE PAVER
 SIZE 400 x 400mm
 THICKNESS
 30mm & 60mm



LUXE PAVER
 SIZE 600 x 400mm
 THICKNESS
 40mm
 (Abrolhos & Metro
 30mm & 60mm)



RECTANGLE PAVER
 SIZE 400 x 200mm
 THICKNESS
 60mm (Abrolhos & Metro only)


NEW



MULTI SPEC TACTILE PAVER
 SIZE 600 x 400mm
 THICKNESS
 30, 40, 50 & 60mm



HAZARD TACTILE PAVER
 SIZE 400 x 400mm
 THICKNESS
 30, 40, 50 & 60mm



DIRECTIONAL TACTILE PAVER
 SIZE 400 x 400mm
 THICKNESS
 30, 40, 50 & 60mm


Pave Set - Sweep in and "wet to set" join powder.
 Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:


- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections



CIRCLE STEPPERS
 SIZE
 600, 400 & 250mm
 THICKNESS 40mm




Use also for




Internal Corner

270 SEAMLESS CAPPING

SIZE 400 x 270mm
THICKNESS 30mm




Use also for




External Corner

270 4 SIDED SEAMLESS CAPPING


SIZE 400 x 270mm
THICKNESS 30mm



2 Sided,
End Piece or
Stepping Stone




Use also for




Internal Corner

400 SEAMLESS CAPPING

SIZE 400 x 400mm
THICKNESS 30mm




Use also for




External Corner

400 4 SIDED SEAMLESS CAPPING

SIZE 400 x 400mm
THICKNESS 30mm



2 Sided,
End Piece or
Stepping Stone




RETRO BULLNOSE CAPPING

SIZE 400 x 270mm
THICKNESS 30mm



Freo Skimmer Lid Kits... a superior finish

- Fully non-conductive meeting Australian pool safety standards.
- Neutral colour to compliment stone.
- Requires no earthing, making installation simpler and safer.
- Simply cut key slot into existing stone.
- Order to be delivered with your Pool Capping Kits.



Travertine & Marble... a genuine slice of Europe



RECTANGLE PAVER
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm



FRENCH PATTERN PAVERS
SURFACE Honed then tumbled
SIZE Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm
THICKNESS 30mm
 (not available in Arctic)



CAPPING
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm



OVERHANGING LIP CAPPING
SURFACE Honed then tumbled (Tumbled natural cored edges)
SIZE 610 x 305 x 80mm
THICKNESS 30mm
 (Roma & Atlantis only)



Roma



Quality stone cut from Europe's best quarries.



Can be easily installed onto a sand base.



Lightly textured surfaces providing grip and comfort.



Stunning variations of colour throughout each project.



ROMA



PRIMO



MALTESE



ARCTIC MARBLE



ATLANTIS



Your outdoor space deserves to be different...



Primo



Arctic Marble




Atlantis

DesignoPave... non-slip porcelain pavers



- Non-slip surface and no sealing required.
- Lay straight onto sand, cracker dust, concrete or plastic pedestals.
- Strength far superior to stone of even greater thickness.
- Realistic durable alternatives to natural timber and granite.

CAPPING
SIZE 600 x 300mm
THICKNESS 20mm



JARRAHWASH
Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



SILVERTINO **NEW**
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



DRIFTWOOD
Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BORDEAUX
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




SANTORINI
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




MONACO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



WHITE GRANITO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



GREY GRANITO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



BLACK GRANITO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

Ocean Bluestone... a grey with attitude

PAVER

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm

CAPPING

SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm



Non-slip yet gentle to touch.



Smooth edge capping.


From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

Stone cladding... bringing walls to life



EVEREST

SIZE 600 x 150mm




COPPER

SIZE 600 x 150mm



HAWAIIAN SWIRL

SIZE 600 x 150mm



DESERT

SIZE 600 x 150mm



WHITE QUARTZ

SIZE 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is its variation in colour. Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.



Bluestone... natural steppers




Honed surface

SIZE Various approx. 500 - 700mm
THICKNESS 30mm




Commercial... high-end spec solutions

10 other colours available for commercial quantity projects.



NEW



Suitable for a range of applications.

Freo Stone Paving Perth

North

South



GREENWOOD

Display and Stock Centre
 29 Canham Way
 Greenwood W.A.

BIBRA LAKE

Manufacturing Facility, Full Scale
 Display and Stock Centre
 139 Barrington Street
 Bibra Lake W.A.



high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

CUSTOMER SERVICE

08 9418 8404

info@freostone.com.au



Free mobile design and sample units
 to your Perth metro site or office

for more ideas visit
freostone.com.au



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. JULY 2026 Freo Stone ABN 30 143 880 422.